Cone o

- a) introducing into said plant cell, a viral RNA vector derived from a satellite RNA virus, wherein said vector comprises said inhibitory RNA or a chimeric nucleic acid which when transcribed yields said inhibitory RNA and wherein said inhibitory RNA comprises sense RNA; and
- b) introducing a corresponding helper virus into said plant cell.

na

- 34. (Amended) The method of claim 32, wherein said inhibitory RNA further comprises antisense RNA.
- 38. (Amended) The method of claim 32, wherein said viral RNA vector is derived from STMV and wherein said helper virus is tobacco mosaic virus.

N 3

- 39. (Amended) A method for the introduction of inhibitory RNA into the cytoplasm of plant cells, said method comprising:
 - a) introducing into said plant cell a viral RNA vector derived from satellite tobacco necrosis virus, wherein said vector comprises said inhibitory RNA, or a chimeric nucleic acid which when transcribed yields said inhibitory RNA, and an origin of assembly of tobacco mosaic virus; and
 - b) introducing a corresponding helper virus into said plant cell, wherein said helper virus is derived from tobacco necrosis virus and comprises a coat protein gene of tobacco mosaic virus.

CH

- 43. (Amended) A kit for silencing endogenous genes by introduction of inhibitory RNA in the cytoplasm of a plant cell, said kit comprising
 - a) a viral RNA vector derived from a satellite RNA virus, said vector comprising a chimeric nucleic acid which when transcribed yields said inhibitory RNA or which comprises said inhibitory RNA, wherein said inhibitory RNA comprises sense RNA; and
 - b) a corresponding helper virus.

25

- 45. (Amended) The kit of claim 43, wherein said inhibitory RNA further comprises antisense RNA.
- 49. (Amended) The kit of claim 43, wherein said viral RNA vector is derived from STMV and wherein said corresponding helper virus is tobacco mosaic virus.

- 50. (Amended) A kit for introduction of inhibitory RNA into the cytoplasm of a plant cell, said kit comprising:
 - a) a viral RNA vector derived from satellite tobacco necrosis virus, wherein said vector comprises said inhibitory RNA, or a chimeric nucleic acid which

Control

when transcribed yields said inhibitory RNA, and an origin of assembly of tobacco mosaic virus; and

b) a corresponding helper virus derived from tobacco necrosis virus, said virus comprising the coat protein gene of tobacco mosaic virus.